

## Publications Liliane Rueß

- Endlweber, K., Ruess, L., Scheu, S. (2009). Collembola switch diet in presence of plant roots thereby functioning as herbivores. *Soil Biology & Biochemistry*, 40, 2427-2433.
- Schütz, K., Nagel, P., Vetter, W., Kandeler, E. & L. Ruess (2009). Flooding forested groundwater areas modifies microbial communities from top soil to groundwater table. *FEMS Microbiology Ecology*, 67, 171-182.
- Krashevskaya, V., Bonkowski, M., Maraun, M., Ruess, L., Kandeler, E., Scheu, S. (2008). Microorganisms as driving factors for the community structure of testate amoebae along an altitudinal transect in tropical mountain rain forests. *Soil Biology & Biochemistry*, 40, 2427-2433.
- Haubert, D., Häggblom, M.M., Scheu, S. & L. Ruess (2008). Effects of temperature and life stage on the fatty acid composition of Collembola. *European Journal of Soil Biology*, 44, 213-219.
- Haase, S., Ruess, L., Neumann, G., Marhan, S. & E. Kandeler (2007). Low-level herbivory by root-knot nematodes (*Meloidogyne incognita*) modifies root hair morphology and rhizodeposition in host plants (*Hordeum vulgare*). *Plant and Soil*, 301, 151-164.
- Poll, J., Marhan, S., Haase, S., Hallmann, J., Kandeler, E. & L. Ruess (2007). Low amounts of herbivory by root-knot nematodes affect microbial community dynamics and carbon allocation in the rhizosphere. *FEMS Microbiology Ecology*, 62, 268-279.
- Ruess, L., Schütz, K., Migge-Kleian, S., Häggblom, M.M., Kandeler, E. & S. Scheu (2007). Lipid composition of Collembola and their food resources in deciduous forest stands – implications for feeding strategies. *Soil Biology & Biochemistry*, 39, 1990-2000.
- Brose, U., Jonsson, T., Berlow, E. L., Warren, P., Banasek-Richter, C., Bersier, L.-F., Blanchard, J. L., Brey, T., Carpenter, S. R., Cattin Blandenier, M.-F., Cushing, L., Dawah, H. A., Dell, T., Edwards, F., Harper-Smith, S., Jacob, U., Ledger, M. E., Martinez, N. D., Memmott, J., Mintenbeck, K., Pinnegar, J. K., Rall, B. C., Rayner, T. S., Reuman, D.C., Ruess, L., Ulrich, W., Williams, R. J., Woodward, G. & J. E. Cohen (2006). Consumer-resource body-size relationships in natural food webs. *Ecology*, 87, 2411-2417.
- Chahartaghi, M., Scheu, S. & L. Ruess (2006). Sex ratio and mode of reproduction in Collembola of an oak-beech forest. *Pedobiologia*, 50, 331-340.
- Haubert, D., Häggblom, M. M., Scheu, S. & L. Ruess (2006). Trophic shift of stable isotopes and fatty acids in bacterial based soil food chains. *Soil Biology & Biochemistry*, 38, 2004-2007.
- Ruess, L. & J. Lussenhop (2006). Trophic interactions of fungi and animals. In: *The fungal community: Its organization and role in the ecosystem*. Dighton, J., Oudemans, P. & J. White (eds), CRC, Boca Raton, pp 581-598.

- Ruess, L., Schütz, K., Haubert, D., Häggblom, M.M., Kandeler, E. & S. Scheu (2005). Application of lipid analysis to understand trophic interactions in soil. *Ecology*, 86, 2075-2082.
- Brose, U., Berlow, E.L., Jonsson, T., Banasek-Richter, C., Bersier, L.-F., Blanchard, J.L., Brey, T., Carpenter, S.R., Cattin Blandenier, M.-F., Cohen, J.E., Cushing, L., Dawah, H.-A., Dell, T., Edwards, F., Harper-Smith, S., Jakob, U., Knapp, R.A., Ledger, M. E., Martinez, N.D., Memmott, J., Mintenbeck, K., Pinnegar, J. K., Rall, B. J., Rayner, T., Ruess, L., Ulrich, W., Warren, P., Williams, R.J., Woodward, G. & P. Yodzis (2005). Empirical body sizes of consumers and their resources. *Ecology*, 86, 2545-2546.
- Scheu, S., Ruess, L. & M. Bonkowski (2005). Interactions between micro-organisms and soil micro- and mesofauna. In: *Microorganisms in soils: roles in genesis and functions*. Buscot, F. & A. Varma (eds), Springer Verlag, pp 253-275.
- Chahartaghi, M., Langel, R., Scheu, S. & L. Ruess (2005). Feeding guilds in Collembola based on nitrogen stable isotope ratios. *Soil Biology & Biochemistry*, 37, 1718-1725.
- Haubert, D., Langel, R., Scheu, S. & L. Ruess (2005). Effects of food quality, starvation and life stage on stable isotope fractionation in Collembola. *Pedobiologia*, 49, 229-237.
- Ruess, L., Tiunov, A., Haubert, D., Richnow, H.H., Häggblom, M.M. & S. Scheu (2005). Carbon stable isotope fractionation and trophic transfer of fatty acids in fungal based soil food chains. *Soil Biology & Biochemistry*, 37, 945-954.
- Haubert, D., Häggblom, M. M., Scheu, S. & L. Ruess (2004). Effects of fungal food quality and starvation on the fatty acid composition of *Protaphorura fimata* (Collembola). *Comparative Biochemistry and Physiology*, 138, 41-52.
- Ruess, L., Häggblom, M. M., Langel, R. & S. Scheu (2004). Nitrogen isotope ratios and fatty acid composition as indicators of animal diets in belowground systems. *Oecologia*, 139, 336-346.
- Ruess, L. & H. Ferris (2004). Decomposition pathways and successional changes. *Nematology Monographs and Perspectives* 2, 547-556.
- Ruess, L. (2003). Nematode soil faunal analysis of decomposition pathways in different ecosystems. *Nematology*, 5, 179-181.
- Ruess, L., Schmidt I. K., Michelsen A. & S. Jonasson (2002). Responses of nematode species composition to factorial addition of carbon, fertiliser, bactericide and fungicide at two sub-arctic sites. *Nematology*, 4, 527-539.
- Ruess, L., Häggblom, M. M., Garzía Zapata, E. J. & J. Dighton (2002). Fatty acids of fungi and nematodes - possible biomarkers in the soil food chain? *Soil Biology & Biochemistry*, 34, 745-756.
- Ruess, L., Schmidt I. K., Michelsen A. & S. Jonasson (2001). Manipulations of a microbial based food web at two arctic sites - evidence of species redundancy among the nematode fauna? *Applied Soil Ecology*, 17, 19-30.

- Ruess, L., Garzía Zapata, E. J. & J. Dighton (2000). Food preferences of the fungal feeding nematode *Aphelenchoides* sp. *Nematology*, 2, 223-230.
- Schmidt, I. K., Ruess, L., Bååth, E., Michelsen, A., Ekelund, F. & S. Jonasson (2000). Long-term manipulation of the microbes and microfauna of two subarctic heaths by addition of fungicide, bactericide, carbon and fertilizer. *Soil Biology & Biochemistry*, 32, 707-720.
- Ruess, L., Michelsen, A. & S. Jonasson (1999). Simulated climate change in subarctic soils: responses in nematode species composition and dominance structure. *Nematology*, 1, 513-526.
- Ruess, L., Michelsen A., Schmidt I. K. & S. Jonasson (1999). Simulated climate change affecting microorganisms, nematode density and biodiversity in subarctic soils. *Plant and Soil*, 212, 63-73.
- Sturhan, D. & L. Ruess (1999). An undescribed *Steinernema* sp. (Nematoda: Steinernematidae) from Germany and the Scandinavian Subarctic. *Russian Journal of Nematology*, 7, 43-47.
- Ruess, L., Michelsen, A., Schmidt, I. K., Jonasson, S. & J. Dighton (1998). Soil nematode fauna of a subarctic heath: potential nematicidal action of plant leaf extracts. *Applied Soil Ecology*, 7, 111-124.
- Ruess, L. (1998). Nematode fauna of a subarctic dwarf shrub heath at Abisko, Northern Swedish Lapland. In: De Goede, R. & T. Bongers (eds): *Nematode communities of northern temperate grassland ecosystems*, DEGREE, 261-264.
- Ruess, L. (1997). Biological indicators of critical loads: interactions between soil nematodes and fungi in relation to soil acidification. *Abhandlungen und Berichte des Naturkundemuseums Görlitz*, 69, 199-200.
- Ruess, L. & J. Dighton (1996). Cultural studies on soil nematodes and their fungal hosts. *Nematologica*, 42, 330-346.
- Ruess, L., Sandbach, P., Cudlín, P., Dighton, J. & A. Crossley (1996). Acid deposition in a spruce forest soil: effects on nematodes, mycorrhizas and fungal biomass. *Pedobiologia*, 40, 51-66.
- Ruess, L. & W. Funke (1995). Nematode fauna of a spruce stand associated with forest decline. *Acta Zoologica Fennica*, 196, 348-351.
- Ruess, L. (1995). Studies on the nematode fauna of an acid forest soil: spatial distribution and extraction. *Nematologica*, 41, 229-239.
- Ruess, L. (1995). Nematode fauna in spruce forest soils: a qualitative/quantitative comparison. *Nematologica*, 41, 106-124.
- Ruess, L., Funke, W. & A. Breunig (1993). Influence of experimental acidification on nematodes, bacteria and fungi: soil microcosms and field experiments. *Zoologische Jahrbücher für Systematik*, 120, 189-199.

Ruess, L. & W. Funke (1992). Effects of experimental acidification on nematode populations in soil cultures. *Pedobiologia*, 36, 231-239.

Ratajczak, L., Funke, W. & H. Zell (1989). Die Nematodenfauna eines Fichtenforstes: Auswirkungen anthropogener Einflüsse. *Verhandlungen der Gesellschaft für Ökologie*, 17, 211-220.